






TC-96 Series





DIN 96X96 Temperature Controller

	Model	TC-96-AD-□-□	TC-96-AD-□-□-A	TC-96-AD-□-□-AH
Outline	DIN96 X 96			
Alarm		Non	AL Alarm	AL+HB Alarm
Display	Method	14mm 7 Segment Green LED		
	Tolerance	0.5% of F.S.		
	Range	-99 ~+99 , 0~999 , 0~1200		
Setting	Method	Trimmer < Variable Resister >		
	Tolerance	1.0% of F.S.		
	Range	-50 ~+50 , 0~100 , 0~200 , 0~400 , 0~600 or 0~1200		

	Model	TC-96-DD-□-□	TC-96-DD-□-□-A	TC-96-DD-□-□-AH
Outline	DIN96 X 96			
Alarm		Non	AL Alarm	AL+HB Alarm
Display	Method	14mm 7 Segment Green LED		
	Tolerance	0.5% of F.S.		
	Range	-99 ~+99 , 0~999 , 0~1200		
Setting	Method	Digital Switch		
	Tolerance	0.5% of F.S.		
	Range	-99 ~+99 , 0~199 , 0~399 , 0~599 , 0~999 , 0~1199		



TC-96-AN-□-□	TC-96-AA-□-□	TC-96-AA-□-□- A	TC-96-AA-□-□- AH
			
Non	Non	AL Alarm	AL+HB Alarm
Non	Analog Deviation Meter		
Non	1.0% of F.S.		
Non	40		
Trimmer < Variable Resistor >			
1.0% of F.S.			
-50 ~+50 , 0~100 , 0~200 , 0~400 , 0~600 or 0~1200			

TC-96-DN-□-□	TC-96-DA-□-□	TC-96-DA-□-□- A	TC-96-DA-□-□- AH
			
Non	Non	AL Alarm	AL+HB Alarm
Non	Analog Deviation Meter		
Non	1.0% of F.S.		
Non	40		
Digital Switch			
0.5% of F.S.			
-99 ~+99 , 0~199 , 0~399 , 0~599 , 0~999 , 0~1199			

